



## TKMSX 30 COFFEE ROASTING MACHINE

<b>Range of Product:</b>	TKMSX
<b>Product or component type:</b>	Coffee Roaster
<b>Short name:</b>	TKMSX 30
<b>Sale per indivisible quantity:</b>	1
<b>Conformity:</b>	
CSA ANSI Z83.11-2006/CSA 1.8-2006 Gas Food service Equipment	
MD 2006/42/EC, LVD 2006/95/EC	
EN 291-1:1991, EN 292-2:1995, EN 294:1992, EN 6020-1:1997, EN 1050:1996	
<b>Order Number:</b>	TKMSX 30 Gas
<b>Product Weight:</b>	1300 kg
<b>Product Weight Net:</b>	1100 kg
<b>Ambient Temperature:</b>	+4°C / ~ /+40°C

<b>Batch Capacity:</b>	30 Kg Green Coffee	
<b>Roasting Time:</b>	10 Minutes Fast Roast	
	22 Minutes Slow Roast	
<b>Hour Capacity:</b>	180 kg/Hour For Fast Roast	
	60 kg/Hour For Slow Roast	
<b>Source of Heat:</b>	<b>Thermal Transfer</b>	<b>Hotair Transfer</b>
	LPG, Naturel Gas, Propane	LPG, Naturel Gas, Propane, Diesel
<b>Heating Type:</b>	Thermal Transfer or Hotair Transfer	
<b>Dimensions ( LxWxH ):</b>	225x271x295 cm	
<b>Suggested Using Area ( LxWxH ):</b>	400x400x400 cm	
<b>Voltage:</b>	240 ~ 415 Volt, 50-60 hz, 3 Phase	
<b>Electric Comsumption:</b>	<b>380 Volt / 50Hz / Three Phase</b>	
	5,5KW / 12 AMPERE	
<b>Quantity of Motor:</b>	4	
<b>Color:</b>	Black, Red, Green, Chrome or Customer Preference	
<b>Temp. Control :</b>	Digital Temperature control	
<b>Polluted Air Stream:</b>	42 ppm CO	
	% 16.9 O2	
	% 2,6 CO2	
<b>Combustion (for Thermal Transfer):</b>	<b>LPG</b>	<b>NATURAL GAS</b>
	49.700 Kcal / 197.100 BTU / 57.76 kWh	64.500 Kcal / 256.200 BTU / 75.08 kWh
<b>Gas Connection Point:</b>	1"	
<b>Necessary Air Volume</b>	1200 m <sup>3</sup> /h	
<b>Exhoust Pipe Size</b>	300 mm	
<b>Revision No/Date</b>	P08-DK-30-01 / 29.07.2016	

# HEAT TRANSFER SYSTEMS



THERMAL TRANSFER



HOTAIR THERMAL TRANSFER



